

Cis THE SERVICE CENTER 0/2 | 12 NON RD., SUITE 500 "UEUR, MO. 63141-6742

FRMANCE PRODUCTS LP Certificate of Analysis

34 7327

129678

Shipped to: BRENNTAG Nº MOUTH INC 126 CHOUSE AVENUE SAINT LOUIS 150 631

: 1378278 Customer Sales Order #: 748453 Container ID

Ship Date: 1 17

Certificate Date: Nov-02-17

Acid 85%, Solution, Code 858, Food Grade, Bulk-Cool

(· · · · NSI/ANSI Standard 60 by NSF International Max use 12 mg/l Complies with the current specifications of the Food Chemical Codex

PROPERTY **SPECIFICATION** INSPECTION AFFIRED LOTANGE DT/BEST BEFORE DT 2210744518 Nov-01-17 Oct-31-20 Appearance Pass Pass APHA Color Guaranteed < = 20Odor < = 20**Odorless** Equivalum Assay " Odorless 85.0 % Min Equivalent \$205 **85**.3 Specific Grain @ 25/15,55 C Arsenic ppra demitted Cadmin of ppra 61.5 % Min 61.8 1.6860 Min 1.6897 < = 3 PPM< = 3 PPM< = 3 PPMFluoride pom Lead, pom < = 3 PPM< = 10 PPM< = 10 PPM< = 3 PPM< = 3 PPM

Guaranteed analysis ethecked at asservals according to plant schedule.

Note: Hardwares Units of Measure: mg/kg = ppm; µg/kg = ppb FOR CUSTOMER SERVICE PLEASE CALL: (800) 244-6169

CARONDER IN THE ANT. 8201 DEATHO AVE., SAINT LOUIS, MO, 63111

BRENNTAG LOT

897475667307/23

IMPORTANT: All information provided is believed to be accurate and complete. The data provided is representative of the product quality on the date of analysis for the lot number indicated. This certificate of analysis may not include all of the constituents of the product. Persons using this information should make their own determination regarding its suitability for their particular application. This certificate of analysis shall not in any way limit or preclude the operation and effect of the applicable terms and conditions of sale.